


/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_02_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_03_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_04_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_05_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_06_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_07_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_08_2023-07-18T10-53-21_HD_3360_L1.fits




/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_09_2023-07-18T10-53-21_HD_3360_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_10_2023-07-18T10-53-21_HD_3360_L1.fits





/home/spica/WorkingDirectoryPerExposure/2023-07-18/spica_raw_estimates_2023-07-18T10-53-21.rb/SPICA_11_2023-07-18T10-53-21_HD_3360_L1.fits






flux__2023-07-18T10-53-21
B1
B2
B3
B4
B5
B6
2000
1000
0
0
100
200
300
400
500
600
Time(s)



SPICA.2023-07-18T10-54-26.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T10-55-33.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T10-56-39.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T10-57-45.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T10-58-51.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T10-59-57.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T11-01-03.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T11-02-09.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T11-03-16.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T11-04-22.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2023-07-18T10-54-26.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-07-18T10-55-33.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-07-18T10-56-39.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-07-18T10-57-45.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2023-07-18T10-58-51.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-07-18T10-59-57.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-07-18T11-01-03.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-07-18T11-02-09.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-07-18T11-03-16.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2023-07-18T11-04-22.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100