


/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_02_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_03_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_04_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_05_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_06_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_07_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_08_2024-04-24T09-36-48_HD_116658_L1.fits




/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_09_2024-04-24T09-36-48_HD_116658_L1.fits





/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_10_2024-04-24T09-36-48_HD_116658_L1.fits





/home/spica/WorkingDirectoryPerExposure/2024-04-24/spica_raw_estimates_2024-04-24T09-36-48.rb/SPICA_11_2024-04-24T09-36-48_HD_116658_L1.fits






flux__2024-04-24T09-36-48
B1
B2
B3
B4
B5
B6
10000
0
0
100
200
300
400
500
600
Time(s)



SPICA.2024-04-24T09-37-54.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-39-00.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-40-06.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-41-12.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-42-18.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-43-24.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-44-30.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-45-36.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-46-43.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-47-49.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2024-04-24T09-37-54.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2024-04-24T09-39-00.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2024-04-24T09-40-06.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2024-04-24T09-41-12.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100



SPICA.2024-04-24T09-42-18.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2024-04-24T09-43-24.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2024-04-24T09-44-30.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2024-04-24T09-45-36.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2024-04-24T09-46-43.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2024-04-24T09-47-49.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100