


/home/spica/WorkingDirectoryPerExposure/2025-02-21/spica_raw_estimates_2025-02-21T11-10-31.rb/SPICA_02_2025-02-21T11-10-31_HD_106625_L1.fits




/home/spica/WorkingDirectoryPerExposure/2025-02-21/spica_raw_estimates_2025-02-21T11-10-31.rb/SPICA_03_2025-02-21T11-10-31_HD_106625_L1.fits




/home/spica/WorkingDirectoryPerExposure/2025-02-21/spica_raw_estimates_2025-02-21T11-10-31.rb/SPICA_04_2025-02-21T11-10-31_HD_106625_L1.fits





/home/spica/WorkingDirectoryPerExposure/2025-02-21/spica_raw_estimates_2025-02-21T11-10-31.rb/SPICA_05_2025-02-21T11-10-31_HD_106625_L1.fits





/home/spica/WorkingDirectoryPerExposure/2025-02-21/spica_raw_estimates_2025-02-21T11-10-31.rb/SPICA_06_2025-02-21T11-10-31_HD_106625_L1.fits






flux__2025-02-21T11-10-31
B1
B2
B3
B4
B5
B6
1000
0
0
50
100
150
200
250
300
Time(s)



SPICA.2025-02-21T11-11-36.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2025-02-21T11-12-42.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2025-02-21T11-13-48.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2025-02-21T11-14-54.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600



SPICA.2025-02-21T11-16-00.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
100
200
0
200
400
600
800
1000
1200
1400
1600


SPICA.2025-02-21T11-11-36.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2025-02-21T11-12-42.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2025-02-21T11-13-48.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2025-02-21T11-14-54.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100


SPICA.2025-02-21T11-16-00.fits
S1E2
W2W1
E1W2
W1S2
E1W1
W2S2
S2S1
S2E2
E1S2
W1S1
W1E2
W2S1
W2E2
E1S1
E1E2
0
20
40
60
80
100
0
20
40
60
80
100